





| | | | |
|----------------------|-------------|------------------------------|--------------------|
| DATE: 2020/01/13 | VERSION: A1 | ADD BOTTOM SHELF AS OPTIONAL | DESIGN BY: Alberto |
| DATE: 2019/08/21 | VERSION: A0 | DESCRIPTION | DESIGN BY: |
| | SCALE | MODEL | Q. TY |
| | 1:1 | S903 Range | |
| MATERIAL: ST1/ST2 | | S 903 Range TOP selection | |
| DESIGN BY: Camilla | | | |
| APPROVED BY: Alberto | CATEGORY | TYPE | GROUP |
| DATE: 2019/08/21 | EV | 4AA1 | A0 |
| | | | PART N° |
| | | | 2900 |

| Lev. 0 | Item Number | Descr | Quantity | u.m. | Spare Part |
|--------|--------------|--|----------|------|------------|
| | EV4AA1A12900 | S 903 Ser. - 3 DOORS RANGE EXPLODED VIEW DRAWING(Ver.A1-S29) | 1 | pc | 1 |
| 1 | S14AA10A0002 | S 903 Ser. - ASSEMBLED FOAMED BODY - (S29) | 1 | pc | 1 |
| 2 | S14AA02A0020 | S 90x Ser. - BOTTOM DOOR PIVOT FOR HINGE (Solid door - S29) | 3 | pc | 1 |
| 3 | S14AA02A0019 | S 90x Ser. - RIGHT/LEFT BOTTOM HINGE - (Solid door - S29) | 2 | pc | 1 |
| 4 | P04AA03A0010 | S 90x Ser. - DRAIN PIPE JUNCTION (Inc. CAP + NUT - S29) | 1 | pc | 1 |
| 5 | S14AA11A0014 | S 903 Ser -UPPER BAR FOR FIX TOP/DOOR PIVOT(Solid door-S29) | 1 | pc | 1 |
| 6 | S14AA01A0015 | S 90x Ser. - UPPER/BOTTOM MULLION HOLDER - (S29) | 4 | pc | 1 |
| 7 | S14AA01A0014 | S 90x Ser. - CENTRAL MULLION - (NO Heated/Solid Door - S29) | 2 | pc | 1 |
| 8 | S14AA02A0021 | S 90x Ser. - UPPER DOOR PIVOT FOR BAR - (S29) | 3 | pc | 1 |
| 9 | P04AA02A0022 | S 90x Ser. - SEAT FOR DOOR PIVOT - (Upper/Bottom - S29) | 12 | pc | 1 |
| 10A | E25EUB307518 | POWER CORD 3x0,75 mmq - EU PLUG - BLACK COLOR 1.8 Mt | 1 | pc | 1 |
| 10B | E25UKB307518 | POWER CORD 3x0,75 mmq - UK PLUG - BLACK COLOR 1.8 Mt | 1 | pc | 1 |
| 10C | E25AUB307518 | POWER CORD 3x0,75 mmq - AUSTRALIAN PLUG - BLACK COLOR 1.8 Mt | 1 | pc | 1 |
| 10D | E25INB307525 | POWER CORD 3x0,75 mmq - INDIA PLUG - BLACK COLOR 2.5 Mt | 1 | pc | 1 |
| 11 | KITFT4AA0B00 | S 90x Ser. - FEET and ROLLER SET - (2 feet + 2 roller - S29) | 1 | pc | 1 |
| 12 | E27B2L3C0000 | NUH45LA COMP.CUBIGEL R290-220/240V 50Hz-2/5 HP CSIR: | 1 | pc | 1 |
| 13 | I06AB33A0004 | RC 300/S 90x Ser. -PLATE FOR WATER TRAY - (S29) | 2 | pc | 1 |
| 14 | P06AB33A0003 | RC 300/QR 350/CR 350/S 90x Ser. - WATER TRAY - (S29) | 1 | pc | 1 |
| 15 | C04AA06A0010 | S 90x Ser. - DISCHARGE PIPE - (S29) | 1 | pc | 1 |
| 16 | P04AA03A0011 | S 90x Ser. - WATER TRAY PIPE - (S29) | 1 | pc | 1 |
| 17 | Z04AA03A0013 | S 90x Ser. - SUPPORT FOR CONDENSER FAN - (S29) | 1 | pc | 1 |
| 18 | E17A1A400000 | ZCF200 FAN:SHEDD POLE, 220V;50/60Hz; CABLE LENGHT 300mm | 1 | pc | 1 |
| 19 | E181P1902801 | FAN BLADE D.190mm-28*-PLASTIC | 1 | pc | 1 |
| 20 | S44AA18A0003 | S 903 Ser. - CONDENSER FAN CONVEYOUR - (S29) | 1 | pc | 1 |
| 21 | I04AA08A0007 | S 90x Ser. - WIRE CONDENSER - (2 and 3 Doors range - S29) | 1 | pc | 1 |
| 22 | C06AB36A0003 | RC 300/BTL Ser./QR 350/S 90x Ser. - DRYER FILTER - (S29) | 1 | pc | 1 |
| 23 | C04AA06A0009 | S 90x Ser. - CAPILLARY (L.3200mm/D.Int.0.9/Ext.2.2mm-S29) | 1 | pc | 1 |
| 24 | R04AA02A0018 | S 90x Ser. - SOLID DOOR GASKET - (Dim.400X485mm - S29) | 3 | pc | 1 |
| 25 | S14AA02A0017 | S 90x Ser. - SOLID DOOR SET (Inc.GASKET and PIVOT SEAT -S29) | 3 | pc | 1 |
| 26 | KITGD4AA0C00 | S 90x Ser. - SHELVES GUIDE SET - (1 Left + 1 Right - S29) | 3 | pc | 1 |
| 27 | S14AA09A0011 | S 90x Ser. - SIDES and FRONT/CENTRAL VERTICAL SUPPORT- (S29) | 8 | pc | 1 |
| 28A | I04AA09A0010 | S 90x Ser. - GN1/1 SHELF - (Dim. 333x560mm - S29) | 3 | pc | 1 |
| 28B | I04AA09A0016 | S 90x Ser. - GN1/1 BOTTOM SHELF - (Dim. 333x560x57mm - S29) | 3 | pc | 1 |
| 29 | S14AA09A0012 | S 90x Ser. - REAR/CENTRAL LEFT VERTICAL SUPPORT - (S29) | 2 | pc | 1 |
| 30 | S14AA09A0013 | S 90x Ser. - REAR/CENTRAL RIGHT VERTICAL SUPPORT - (S29) | 2 | pc | 1 |
| 31 | S14AA09A0014 | S 90x Ser. - UPPER COVER FOR INNER FAN - (S29) | 2 | pc | 1 |
| 32 | E17D1A161400 | SF1238HA2 SOTOP FAN: 230V;50/60Hz; CABLE LENGHT 280mm | 2 | pc | 1 |
| 33 | E212AA030B01 | NTC PROBE - CABLE 3000 mm BLACK Color (Temperature) | 1 | pc | 1 |
| 34 | Z04AA13A0002 | S 903 Ser. - ENGINE PLATE - (S29) | 1 | pc | 1 |
| 35 | P02BA01A0003 | CR Count./S 901/QB Ser-BOX SET (Switch/Thermostat-S29/S10) | 1 | pc | 1 |
| 36 | Z04AA01A0013 | S 90x Ser. - FRONT PANEL HOLDER BAR - (S29) | 3 | pc | 1 |
| 37 | S14AA11A0013 | S 903 Ser. - SOLID DOOR FRONT PANEL (3 DOOR Range - S29) | 1 | pc | 1 |
| 38 | S14AA01A0018 | S 90x Ser. - PLASTIC COVER FOR SCREW - (S29) | 4 | pc | 1 |
| 39 | E20A121C0D01 | XR02CX-5N4C7 DIXELL THERMOSTAT (DX-XOLICCBVJ5S1-100) | 1 | pc | 1 |
| 40 | E2304GR00001 | RL2(P)-MAIN SWITCH RLEIL: TYPE RL2(P)-21/N-2-GR/BK-P1-2 | 1 | pc | 1 |
| 41 | Z04AA13A0003 | S 903 Ser. - REAR/BOTTOM REINFORCE BAR - (S29) | 1 | pc | 1 |
| 42 | I04AA19A0002 | S 903 Ser. - ENGINE ROOM SAFETY GRID - (S29) | 1 | pc | 1 |
| 43 | S14AA12A0002 | S 903 Ser. - CENTRAL BOTTOM HINGE - (Solid door - S29) | 1 | pc | 1 |
| 44 | S14AA13A0004 | S 903 Ser. - STRUCTURE SUPPORT - (S29) | 4 | pc | 1 |
| 50 | S14AA11A0015 | S 903 SS TOP / S 903-6D Ser. - S/S SOLID TOP - (S29) | 1 | pc | 1 |
| 51 | R04AA25A0006 | S 901-2D/S 901-4D Ser. - DRAWER GASKET - (S29) | 1 | pc | 1 |
| 52 | KITGD4AA2D00 | S 901-2D/4D Ser. -DRAWER GUIDE SET (1 Left+1 Right - S29) | 1 | pc | 1 |
| 53 | S54AA25A0007 | S 901-2D/S 901-4D Ser. - HORIZONTAL MULLION - (S29) | 1 | pc | 1 |
| 54 | S14AA25A0005 | S 901-2D/S 901-4D Ser. - UPPER/RIGHT-LEFT DRAWER - (S29) | 1 | pc | 1 |
| 55 | S14AA25A0007 | S 901-2D/S 901-4D Ser. - BOTTOM/RIGHT-LEFT DRAWER - (S29) | 1 | pc | 1 |
| 56 | S14AA25A0008 | S 901-2D/S 901-4D Ser. - FRONTAL LEFT SUPPORT DRAWER - (S29) | 1 | pc | 1 |
| 57 | S14AA25A0009 | S 901-2D/S 901-4D Ser.- FRONTAL RIGHT SUPPORT DRAWER - (S29) | 1 | pc | 1 |
| 58 | KITSP4AA4C00 | S 90x STD/PS 200/PS 300 - SUPPORT KIT SLIDING/LID TOP -(S29) | 1 | pc | 1 |
| 59 | S14AA81A0005 | S 903 STD - REAR FIX OPEN TOP - (S29) | 1 | pc | 1 |
| 60 | S14AA81A0006 | S 903 STD - FRONT MOVABLE OPEN TOP - (N.2 Rollers - S29) | 1 | pc | 1 |
| 61 | N04AA81A0007 | S 903 STD/SQ/CG - FRONTAL CUTTING BOARD - (S29) | 1 | pc | 1 |
| 62 | KITRL4AA4A00 | S 90x STD -ROLLER and STOPPER KIT FOR MOVABLE OPEN TOP-(S29) | 1 | pc | 1 |
| 63 | KITSR4AA8C00 | S 903 STD/SQ/CG - SPACER KIT FOR PANS SUPPORT- (S29) | 1 | pc | 1 |
| 64 | KITGS4AA9C00 | S 903 SQ - GLASS KIT - (Square shape - S29) | 1 | pc | 1 |
| 65 | KITSW4AA5A00 | S 900 SQ - SCREW KIT FOR GLASS SET - (Square shape - S29) | 1 | pc | 1 |
| 66 | KITGS4AB0A00 | S 903 CG - GLASS KIT - (Curve shape - S29) | 1 | pc | 1 |
| 67 | KITSW4AA6A00 | S 900 CG - SCREW KIT FOR GLASS SET - (Curve shape - S29) | 1 | pc | 1 |
| 68 | S14AB51A0003 | PS 300 - TOP OPEN LID - (S29) | 1 | pc | 1 |
| 69 | S14AB51A0004 | PS 300 - FIX TOP WITH PANS HOLE - (S29) | 1 | pc | 1 |
| 70 | KITSR4AB2C00 | PS 903/PS 300 - SPACER KIT FOR PANS SUPPOT - (S29) | 1 | pc | 1 |
| 71 | S14AB21A0001 | PS 903 - UPPER COVER FOR PANS - (S29) | 1 | pc | 1 |
| 72 | G14AB21A0002 | PS 903 - GRANITE TOP - (S29) | 1 | pc | 1 |
| 73 | S14AB21A0003 | PS 903 - BOTTOM INSULATION LAYER - (Dim.??x335mm - S29) | 1 | pc | 1 |