















-  DETAIL 47
-  DETAIL 38
-  DETAIL 47
-  DETAIL 87
-  DETAIL 95
-  DETAIL 99
-  DETAIL 101
-  DETAIL 110
-  DETAIL 114
-  DETAIL 115
-  DETAIL 121



| | | | |
|---------|-----------|--|--|
| 4 | | | TOLLERANZE: UNI 5307 da 1 a 6 ±0,08 da 6 a 18 ±0,12 da 18 a 50 ±0,18 da 50 a 80 ±0,23 da 80 a 120 ±0,27 da 120 a 250 ±0,33 da 250 a 400 ±0,42 da 400 a oltre ±0,50 |
| 3 | | SCALA  | |
| 2 | | DATA 21/12/2011 | |
| 1 | | www.diron.it | |
| RELEASE | MODIFICHE | FIRMA | |
| | | DENOMINAZIONE ESPLOSO COMPONENTI CARCASSA FORNO | DISEGNATO: |
| | | MATERIALE | MODELLO FORNO 920 D |
| | | TRATTAMENTO | VERIFICATO DISEGNO |
| | | FILE ESP30063-A_R01 | |



| | | | | | | | | | | | | | | | |
|---------|--|-----------|----------------------|-------|--------------------|--|--|--|---|-------------------|----------------------|------------------------|-------------------|------------------------|------------------|
| 4 | | | TOLLERANZE: UNI 5307 | | SCALA | | | www.dipon.it | DENOMINAZIONE ESPLOSO COMPONENTI PORTA E CRUSCOTTO COMANDI | DISEGNATO: ... | | | | | |
| 3 | | | da 1 a 6 | ±0,08 | DATA 2/1/2/2011 | | | | | | TRATTAMENTO | MODELLO FORNO 920 D | VERIFICATO ... | | |
| 2 | | | da 6 a 18 | ±0,12 | | | | | | | | | | FILE ESP30063-B_R01 | DISEGNO |
| 1 | | | da 18 a 50 | ±0,18 | | | | | | | | | | | |
| RELEASE | | MODIFICHE | da 50 a 80 | ±0,23 | | | | | | | | | | | |
| | | | da 80 a 120 | ±0,27 | | | | | | | | | | | |
| | | | da 120 a 250 | ±0,33 | | | | | | | | | | | |
| | | | da 250 a 400 | ±0,42 | | | | | | | | | | | |
| | | | da 400 a oltre | ±0,50 | | | | | | | | | | | |

PROPRIETÀ RISERVATA - PRIVATE PROPERTY - PRIVATE EIGENTUM - PROPRIÉTÉ RÉSERVÉE